



Attestation of Conformity

No. N8A 094747 0019 Rev. 00

Holder of Certificate: Xinsu Global Electronic Co., Limited

Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road

Central HONG KONG

Product: Switching power supply unit

(SWITCHING POWER SUPPLY)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance.

It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.:

652101801101

2019-05-24 Date.

(Rickyet Wang)

Page 1 of 2

ш

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

 $\text{T\"UV}^{\text{\tiny{\$}}}$



Attestation of Conformity

No. N8A 094747 0019 Rev. 00

Model(s): XSGxxxyyyyEU L1, XSGxxxyyyy L1,

XSExxxyyyy L1, XSECxxxyyyy L1, XSECxxxyyyyzz L1, XSExxxyyyyzz L1

(xxx=030-480, which stands for the rated output

voltage 3.0VDC-48.0VDC, in step of 0.1V;

yyyy=0100-5000, which stands for the rated output current 0.10A-5.00A, in step of 0.01A; zz=EU or UK, which stands for different plug type, EU stands for

Europe plug, UK stands for British plug.)

Brand: Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 1.3A Max Rated Output: See below table for details

Protection Class: II
Degree of Protection: IP20

Model No.	Rated output voltage (VDC)	Rated output current (A)	Maximum rated output power (W)
XSGxxxyyyyEU L1, XSGxxxyyyy L1, XSExxxyyyy L1, XSECxxxyyyy L1, XSECxxxyyyyzz L1, XSEXxxyyyyzz L1	3.0-7.9	0.10-5.00	25.0
	8.0-9.0	0.10-4.00	36.0
	9.1-12.6	0.10-3.00	37.8
	12.7-17.0	0.10-2.50	39.6
	17.1-30.0	0.10-2.00	40.0
	30.1-48.0	0.10-1.32	40.0

Tested EN 60950-1:2006/A2:2013 EN 62368-1:2014/A11:2017 EN 61558-1:2005/A1:2009 EN 61558-2-16:2009/A1:2013

Page 2 of 2

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.