



Product Service

Attestation of Conformity

No. N8A 094747 0019 Rev. 00

Holder of Certificate: **Xinsu Global Electronic Co., Limited**
Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road
Central
HONG KONG

Product: **Switching power supply unit
(SWITCHING POWER SUPPLY)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 652101801101

Date, 2019-05-24

(Rickyet Wang)

Page 1 of 2

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®



Product Service

Attestation of Conformity

No. N8A 094747 0019 Rev. 00

Model(s):

XSGxxxxxyyyEU L1, XSGxxxxxyyy L1,
XSExxxxxyyy L1, XSECxxxxxyyy L1,
XSECxxxxxyyyzz L1, XSExxxxxyyyzz L1
(xxx=030-480, which stands for the rated output voltage 3.0VDC-48.0VDC, in step of 0.1V;
yyyy=0100-5000, which stands for the rated output current 0.10A-5.00A, in step of 0.01A; zz=EU or UK, which stands for different plug type, EU stands for Europe plug, UK stands for British plug.)

Brand:

Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 1.3A Max

Rated Output: See below table for details

Protection Class: II

Degree of Protection: IP20

Model No.	Rated output voltage (VDC)	Rated output current (A)	Maximum rated output power (W)
XSGxxxxxyyyEU L1, XSGxxxxxyyy L1, XSExxxxxyyy L1, XSECxxxxxyyy L1, XSECxxxxxyyyzz L1, XSExxxxxyyyzz L1	3.0-7.9	0.10-5.00	25.0
	8.0-9.0	0.10-4.00	36.0
	9.1-12.6	0.10-3.00	37.8
	12.7-17.0	0.10-2.50	39.6
	17.1-30.0	0.10-2.00	40.0
	30.1-48.0	0.10-1.32	40.0

Tested according to:

EN 60950-1:2006/A2:2013
EN 62368-1:2014/A11:2017
EN 61558-1:2005/A1:2009
EN 61558-2-16:2009/A1:2013

Page 2 of 2

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
CERTIFICATE ◆ CERTIFICADO ◆ CERTIFIKAT ◆ СЕРТИФИКАТ ◆ 認證證書 ◆ ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFIKAT ◆ СЕРТИФИКАТ ◆ 認證證書 ◆