



A P P R O V A L S ®

## Certificate of Conformity/Approval

**Certificate No.:** SAA-211032-EA

**Certificate Holder:** Xinsu Global Electronic Co., Limited  
Unit 2508A, 25/F Bank of America Tower  
12 Harcourt Road  
Central  
Hong Kong

**Regulatory Definition:** Power Supply or Charger  
**Product Description:** Switching Power Supply/Charger  
**Trade Name/s:** Xinsu Global  
**Model No.:** XSG0427500 L2  
**Rating / Marking/s:** Input: 100-240V~ 50/60Hz, 3.0A Max  
Output: 4.2Vdc 7.5A 31.5W  
Class II

**Standard/s:** AS/NZS 62368.1:2018  
**Condition/s:** For use with audio/video, information or  
communication technology equipment only.

**Approval Marks:** RCM (In accordance with AS/NZS 4417 and EESS requirements)  
and  
SAA-211032-EA (In accordance with NSW legislative requirements)

**Initial Issue Date:** 9 June 2021  
**Expiry Date:** 9 June 2025

R. A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 1 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG0428000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 4.2Vdc 8A 33.6W<br>Class II    |
| XSG0507000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 5Vdc 7A 35W<br>Class II        |
| XSG0507500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 5Vdc 7.5A 37.5W<br>Class II    |
| XSG0508000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 5Vdc 8A 40W<br>Class II        |
| XSG0606500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6Vdc 6.5A 39W<br>Class II      |
| XSG0607000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6Vdc 7A 42W<br>Class II        |
| XSG0607500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6Vdc 7.5A 45W<br>Class II      |
| XSG0608000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6Vdc 8A 48W<br>Class II        |
| XSG0656500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6.5Vdc 6.5A 42.25W<br>Class II |
| XSG0657000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6.5Vdc 7A 45.5W<br>Class II    |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 2 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG0657500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6.5Vdc 7.5A 48.75W<br>Class II |
| XSG0658000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 6.5Vdc 8A 52W<br>Class II      |
| XSG0726500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.2Vdc 6.5A 46.8W<br>Class II  |
| XSG0727000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.2Vdc 7A 50.4W<br>Class II    |
| XSG0727500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.2Vdc 7.5A 54W<br>Class II    |
| XSG0728000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.2Vdc 8A 57.6W<br>Class II    |
| XSG0736500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.3Vdc 6.5A 47.45W<br>Class II |
| XSG0737000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.3Vdc 7A 51.1W<br>Class II    |
| XSG0737500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.3Vdc 7.5A 54.75W<br>Class II |
| XSG0738000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.3Vdc 8A 58.4W<br>Class II    |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 3 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG0756500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.5Vdc 6.5A 48.75W<br>Class II |
| XSG0757000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.5Vdc 7A 52.5W<br>Class II    |
| XSG0757500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.5Vdc 7.5A 56.25W<br>Class II |
| XSG0758000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 7.5Vdc 8A 60W<br>Class II      |
| XSG0907000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 9Vdc 7A 63W<br>Class II        |
| XSG0907500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 9Vdc 5A 45W<br>Class II        |
| XSG0908000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 9Vdc 8A 72W<br>Class II        |
| XSG1005500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 10Vdc 5.5A 55W<br>Class II     |
| XSG1006000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 10Vdc 6A 60W<br>Class II       |
| XSG1006500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 10Vdc 6.5A 65W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 4 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                             |
|-------------------|--------------|----------------------------------------------------------------------------|
| XSG1007000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 10Vdc 7A 70W<br>Class II     |
| XSG1007500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 10Vdc 7.5A 75W<br>Class II   |
| XSG1008000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 10Vdc 8A 80W<br>Class II     |
| XSG1106000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 11Vdc 6A 66W<br>Class II     |
| XSG1106500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 11Vdc 6.5A 71.5W<br>Class II |
| XSG1107000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 11Vdc 7A 77W<br>Class II     |
| XSG1107500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 11Vdc 7.5A 82.5W<br>Class II |
| XSG1108000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 11Vdc 8A 88W<br>Class II     |
| XSG1205500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12Vdc 5.5A 66W<br>Class II   |
| XSG1206000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12Vdc 6A 72W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 5 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG1206500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12Vdc 6.5A 78W<br>Class II     |
| XSG1207000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12Vdc 7A 84W<br>Class II       |
| XSG1207500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12Vdc 7.5A 90W<br>Class II     |
| XSG1208000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12Vdc 8A 96W<br>Class II       |
| XSG1265500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12.6Vdc 5.5A 69.3W<br>Class II |
| XSG1266000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12.6Vdc 6A 75.6W<br>Class II   |
| XSG1266500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12.6Vdc 6.5A 81.9W<br>Class II |
| XSG1267000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12.6Vdc 7A 88.2W<br>Class II   |
| XSG1267500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12.6Vdc 7.5A 94.5W<br>Class II |
| XSG1268000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 12.6Vdc 8A 100.8W<br>Class II  |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 6 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG1305000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 5A 65W<br>Class II        |
| XSG1305500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 5.5A 71.5W<br>Class II    |
| XSG1306000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 6A 78W<br>Class II        |
| XSG1306500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 6.5A 84.5W<br>Class II    |
| XSG1307000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 7A 91W<br>Class II        |
| XSG1307200 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 7.2A 93.6W<br>Class II    |
| XSG1307500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13Vdc 7.5A 97.5W<br>Class II    |
| XSG1355000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13.5Vdc 5A 67.5W<br>Class II    |
| XSG1355500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13.5Vdc 5.5A 74.25W<br>Class II |
| XSG1356000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13.5Vdc 6A 81W<br>Class II      |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 7 of 39





A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG1356500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13.5Vdc 6.5A 87.75W<br>Class II  |
| XSG1357000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13.5Vdc 7A 94.5W<br>Class II     |
| XSG1357500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 13.5Vdc 7.5A 101.25W<br>Class II |
| XSG1404500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 4.5A 63W<br>Class II       |
| XSG1405000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 5A 70W<br>Class II         |
| XSG1405500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 5.5A 77W<br>Class II       |
| XSG1406000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 6A 84W<br>Class II         |
| XSG1406500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 6.5A 91W<br>Class II       |
| XSG1407000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 7A 98W<br>Class II         |
| XSG1407200 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 7.2A 100.8W<br>Class II    |

R. A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 8 of 39





A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG1407500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14Vdc 7.5A 105W<br>Class II      |
| XSG1464450 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 4.45A 64.97W<br>Class II |
| XSG1464500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 4.5A 65.7W<br>Class II   |
| XSG1465000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 5A 73W<br>Class II       |
| XSG1465500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 5.5A 80.3W<br>Class II   |
| XSG1466000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 6A 87.6W<br>Class II     |
| XSG1466500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 6.5A 94.9W<br>Class II   |
| XSG1467000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 7A 102.2W<br>Class II    |
| XSG1467500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 14.6Vdc 7.5A 109.5W<br>Class II  |
| XSG1504000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 4A 60W<br>Class II         |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 9 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG1504500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 4.5A 67.5W<br>Class II   |
| XSG1505000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 5A 75W<br>Class II       |
| XSG1505500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 5.5A 82.5W<br>Class II   |
| XSG1506000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 6A 90W<br>Class II       |
| XSG1506500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 6.5A 97.5W<br>Class II   |
| XSG1507000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 7A 105W<br>Class II      |
| XSG1507500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 15Vdc 7.5A 112.5W<br>Class II  |
| XSG1604000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 4A 64W<br>Class II       |
| XSG1604060 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 4.06A 64.96W<br>Class II |
| XSG1604500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 4.5A 72W<br>Class II     |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 10 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG1605000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 5A 80W<br>Class II       |
| XSG1605500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 5.5A 88W<br>Class II     |
| XSG1606000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 6A 96W<br>Class II       |
| XSG1606300 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 6.3A 100.8W<br>Class II  |
| XSG1606500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 6.5A 104W<br>Class II    |
| XSG1607000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16Vdc 7A 112W<br>Class II      |
| XSG1624000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.2Vdc 4A 64.8W<br>Class II   |
| XSG1624500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.2Vdc 4.5A 72.9W<br>Class II |
| XSG1625000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.2Vdc 5A 81W<br>Class II     |
| XSG1625500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.2Vdc 5.5A 89.1W<br>Class II |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 11 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG1626000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.2Vdc 6A 97.2W<br>Class II    |
| XSG1626500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.2Vdc 6.5A 105.3W<br>Class II |
| XSG1684000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.8Vdc 4A 67.2W<br>Class II    |
| XSG1684500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.8Vdc 4.5A 75.6W<br>Class II  |
| XSG1685000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.8Vdc 5A 84W<br>Class II      |
| XSG1685500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.8Vdc 5.5A 92.4W<br>Class II  |
| XSG1686000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.8Vdc 6A 100.8W<br>Class II   |
| XSG1686500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 16.8Vdc 6.5A 109.2W<br>Class II |
| XSG1703750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 3.75A 63.75W<br>Class II  |
| XSG1704000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 4A 68W<br>Class II        |

R. A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 12 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                              |
|-------------------|--------------|-----------------------------------------------------------------------------|
| XSG1704500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 4.5A 76.5W<br>Class II  |
| XSG1705000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 5A 85W<br>Class II      |
| XSG1705500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 5.5A 93.5W<br>Class II  |
| XSG1706000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 6A 102W<br>Class II     |
| XSG1706500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 17Vdc 6.5A 110.5W<br>Class II |
| XSG1804000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18Vdc 4A 72W<br>Class II      |
| XSG1804500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18Vdc 4.5A 81W<br>Class II    |
| XSG1805000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18Vdc 5A 90W<br>Class II      |
| XSG1805500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18Vdc 5.5A 99W<br>Class II    |
| XSG1806000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18Vdc 6A 108W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 13 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG1834000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18.3Vdc 4A 73.2W<br>Class II     |
| XSG1834500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18.3Vdc 4.5A 82.35W<br>Class II  |
| XSG1835000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18.3Vdc 5A 91.5W<br>Class II     |
| XSG1835500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18.3Vdc 5.5A 100.65W<br>Class II |
| XSG1836000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 18.3Vdc 6A 109.8W<br>Class II    |
| XSG1904750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19Vdc 4.75A 90.25W<br>Class II   |
| XSG1905000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19Vdc 5A 95W<br>Class II         |
| XSG1905500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19Vdc 5.5A 104.5W<br>Class II    |
| XSG1906000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19Vdc 6A 114W<br>Class II        |
| XSG1954500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19.5Vdc 4.5A 87.75W<br>Class II  |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 14 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG1954620 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19.5Vdc 4.62A 90.09W<br>Class II |
| XSG1955000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19.5Vdc 5A 97.5W<br>Class II     |
| XSG1955500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19.5Vdc 5.5A 107.25W<br>Class II |
| XSG1956000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 19.5Vdc 6A 117W<br>Class II      |
| XSG2003500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 20Vdc 3.5A 70W<br>Class II       |
| XSG2004000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 20Vdc 4A 80W<br>Class II         |
| XSG2004500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 20Vdc 4.5A 90W<br>Class II       |
| XSG2005000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 20Vdc 5A 100W<br>Class II        |
| XSG2005500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 20Vdc 5.5A 110W<br>Class II      |
| XSG2006000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 20Vdc 6A 120W<br>Class II        |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 15 of 39





A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                              |
|-------------------|--------------|-----------------------------------------------------------------------------|
| XSG2103500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 21Vdc 3.5A 73.5W<br>Class II  |
| XSG2104000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 21Vdc 4A 84W<br>Class II      |
| XSG2104500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 21Vdc 4.5A 94.5W<br>Class II  |
| XSG2105000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 21Vdc 5A 105W<br>Class II     |
| XSG2105500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 21Vdc 5.5A 115.5W<br>Class II |
| XSG2203000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22Vdc 3A 66W<br>Class II      |
| XSG2203500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22Vdc 3.5A 77W<br>Class II    |
| XSG2204000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22Vdc 4A 88W<br>Class II      |
| XSG2204500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22Vdc 4.5A 99W<br>Class II    |
| XSG2205000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22Vdc 5A 110W<br>Class II     |

R. A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 16 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG2253000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22.5Vdc 3A 67.5W<br>Class II     |
| XSG2253500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22.5Vdc 3.5A 78.75W<br>Class II  |
| XSG2254000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22.5Vdc 4A 90W<br>Class II       |
| XSG2254500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22.5Vdc 4.5A 101.25W<br>Class II |
| XSG2255000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 22.5Vdc 5A 112.5W<br>Class II    |
| XSG2403000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 3A 72W<br>Class II         |
| XSG2403250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 3.25A 78W<br>Class II      |
| XSG2403500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 3.5A 84W<br>Class II       |
| XSG2403750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 3.75A 90W<br>Class II      |
| XSG2404000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 4A 96W<br>Class II         |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 17 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG2404500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 4.5A 108W<br>Class II     |
| XSG2405000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 24Vdc 5A 120W<br>Class II       |
| XSG2523000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.2Vdc 3A 75.6W<br>Class II    |
| XSG2523500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.2Vdc 3.5A 88.2W<br>Class II  |
| XSG2524000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.2Vdc 4A 100.8W<br>Class II   |
| XSG2524500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.2Vdc 4.5A 113.4W<br>Class II |
| XSG2525000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.2Vdc 2.5A 63W<br>Class II    |
| XSG2553000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.5Vdc 3A 76.5W<br>Class II    |
| XSG2553500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.5Vdc 3.5A 89.25W<br>Class II |
| XSG2554000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.5Vdc 4A 102W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 18 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG2554500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 25.5Vdc 4.5A 114.75W<br>Class II |
| XSG2702500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 27Vdc 2.5A 67.5W<br>Class II     |
| XSG2703000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 27Vdc 3A 81W<br>Class II         |
| XSG2703500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 27Vdc 3.5A 94.5W<br>Class II     |
| XSG2704000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 27Vdc 4A 108W<br>Class II        |
| XSG2802500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 28Vdc 2.5A 70W<br>Class II       |
| XSG2803000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 28Vdc 3A 84W<br>Class II         |
| XSG2803500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 28Vdc 3.5A 98W<br>Class II       |
| XSG2804000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 28Vdc 4A 112W<br>Class II        |
| XSG2804250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 28Vdc 4.25A 119W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 19 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG2902500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29Vdc 2.5A 72.5W<br>Class II    |
| XSG2903000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29Vdc 3A 87W<br>Class II        |
| XSG2903500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29Vdc 3.5A 101.5W<br>Class II   |
| XSG2904000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29Vdc 4A 116W<br>Class II       |
| XSG2922500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.2Vdc 2.5A 73W<br>Class II    |
| XSG2923000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.2Vdc 3A 87.6W<br>Class II    |
| XSG2923500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.2Vdc 3.5A 102.2W<br>Class II |
| XSG2924000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.2Vdc 4A 116.8W<br>Class II   |
| XSG2942000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.4Vdc 2A 58.8W<br>Class II    |
| XSG2942500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.4Vdc 2.5A 73.5W<br>Class II  |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 20 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG2943000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.4Vdc 3A 88.2W<br>Class II    |
| XSG2943500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.4Vdc 3.5A 102.9W<br>Class II |
| XSG2944000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 29.4Vdc 4A 117.6W<br>Class II   |
| XSG3002500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 30Vdc 2.5A 75W<br>Class II      |
| XSG3003000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 30Vdc 3A 90W<br>Class II        |
| XSG3003500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 30Vdc 3.5A 105W<br>Class II     |
| XSG3004000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 30Vdc 4A 120W<br>Class II       |
| XSG3202500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 32Vdc 2.5A 80W<br>Class II      |
| XSG3202750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 32Vdc 2.75A 88W<br>Class II     |
| XSG3203000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 32Vdc 3A 96W<br>Class II        |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 21 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG3203250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 32Vdc 3.25A 104W<br>Class II    |
| XSG3203500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 32Vdc 3.5A 112W<br>Class II     |
| XSG3203750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 32Vdc 3.75A 120W<br>Class II    |
| XSG3302000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33Vdc 2A 66W<br>Class II        |
| XSG3302500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33Vdc 2.5A 82.5W<br>Class II    |
| XSG3302750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33Vdc 2.75A 90.75W<br>Class II  |
| XSG3303000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33Vdc 3A 99W<br>Class II        |
| XSG3362000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33.6Vdc 2A 67.2W<br>Class II    |
| XSG3362500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33.6Vdc 2.5A 84W<br>Class II    |
| XSG3362750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33.6Vdc 2.75A 92.4W<br>Class II |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 22 of 39





A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG3363000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 33.6Vdc 3A 100.8W<br>Class II  |
| XSG3401900 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 34Vdc 1.9A 64.6W<br>Class II   |
| XSG3402000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 34Vdc 2A 68W<br>Class II       |
| XSG3402500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 34Vdc 2.5A 85W<br>Class II     |
| XSG3402750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 34Vdc 2.75A 93.5W<br>Class II  |
| XSG3403000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 34Vdc 3A 102W<br>Class II      |
| XSG3502500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 35Vdc 2.5A 87.5W<br>Class II   |
| XSG3502750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 35Vdc 2.75A 96.25W<br>Class II |
| XSG3503000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 35Vdc 3A 105W<br>Class II      |
| XSG3601800 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36Vdc 1.8A 64.8W<br>Class II   |

R. A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 23 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG3602000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36Vdc 2A 72W<br>Class II        |
| XSG3602500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36Vdc 2.5A 90W<br>Class II      |
| XSG3603000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36Vdc 3A 108W<br>Class II       |
| XSG3652000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36.5Vdc 2A 73W<br>Class II      |
| XSG3652500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36.5Vdc 2.5A 91.25W<br>Class II |
| XSG3653000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 36.5Vdc 3A 109.5W<br>Class II   |
| XSG3782000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 37.8Vdc 2A 75.6W<br>Class II    |
| XSG3802000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 38Vdc 2A 76W<br>Class II        |
| XSG3802500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 38Vdc 2.5A 95W<br>Class II      |
| XSG3803000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 38Vdc 3A 114W<br>Class II       |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 24 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG4022000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 40.2Vdc 2A 80.4W<br>Class II     |
| XSG4022500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 40.2Vdc 2.5A 100.5W<br>Class II  |
| XSG4023000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 40.2Vdc 3A 120.6W<br>Class II    |
| XSG4201750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42Vdc 1.75A 73.5W<br>Class II    |
| XSG4202000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42Vdc 2A 84W<br>Class II         |
| XSG4202250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42Vdc 2.25A 94.5W<br>Class II    |
| XSG4202500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42Vdc 2.5A 105W<br>Class II      |
| XSG4203000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42Vdc 3A 126W<br>Class II        |
| XSG4252000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42.5Vdc 2A 85W<br>Class II       |
| XSG4252500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42.5Vdc 2.5A 106.25W<br>Class II |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 25 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                   |
|-------------------|--------------|----------------------------------------------------------------------------------|
| XSG4252750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 42.5Vdc 2.75A 116.875W<br>Class II |
| XSG4301500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43Vdc 1.5A 64.5W<br>Class II       |
| XSG4302000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43Vdc 2A 86W<br>Class II           |
| XSG4302500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43Vdc 2.5A 107.5W<br>Class II      |
| XSG4302750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43Vdc 2.75A 118.25W<br>Class II    |
| XSG4321500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.2Vdc 1.5A 64.8W<br>Class II     |
| XSG4322000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.2Vdc 2A 86.4W<br>Class II       |
| XSG4322500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.2Vdc 2.5A 108W<br>Class II      |
| XSG4322750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.2Vdc 2.75A 118.8W<br>Class II   |
| XSG4381500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.8Vdc 1.5A 65.7W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 26 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                  |
|-------------------|--------------|---------------------------------------------------------------------------------|
| XSG4382000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.8Vdc 2A 87.6W<br>Class II      |
| XSG4382500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.8Vdc 2.5A 109.5W<br>Class II   |
| XSG4382750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 43.8Vdc 2.75A 120.45W<br>Class II |
| XSG4401500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 44Vdc 1.5A 66W<br>Class II        |
| XSG4402000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 44Vdc 2A 88W<br>Class II          |
| XSG4402500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 44Vdc 2.5A 110W<br>Class II       |
| XSG4402700 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 44Vdc 2.7A 118.8W<br>Class II     |
| XSG4501500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 45Vdc 1.5A 67.5W<br>Class II      |
| XSG4502000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 45Vdc 2A 90W<br>Class II          |
| XSG4502500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 45Vdc 2.5A 112.5W<br>Class II     |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 27 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                  |
|-------------------|--------------|---------------------------------------------------------------------------------|
| XSG4502650 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 45Vdc 2.65A 119.25W<br>Class II   |
| XSG4601400 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46Vdc 1.4A 64.4W<br>Class II      |
| XSG4601500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46Vdc 1.5A 69W<br>Class II        |
| XSG4602000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46Vdc 2A 92W<br>Class II          |
| XSG4602500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46Vdc 2.5A 115W<br>Class II       |
| XSG4621400 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46.2Vdc 1.4A 64.68W<br>Class II   |
| XSG4621500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46.2Vdc 1.5A 69.3W<br>Class II    |
| XSG4622000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46.2Vdc 2A 92.4W<br>Class II      |
| XSG4622500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46.2Vdc 2.5A 115.5W<br>Class II   |
| XSG4622750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 46.2Vdc 2.75A 127.05W<br>Class II |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 28 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG4751500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 47.5Vdc 1.5A 71.25W<br>Class II  |
| XSG4752000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 47.5Vdc 2A 95W<br>Class II       |
| XSG4752500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 47.5Vdc 2.5A 118.75W<br>Class II |
| XSG4801350 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 1.35A 64.8W<br>Class II    |
| XSG4801500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 1.5A 72W<br>Class II       |
| XSG4801750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 1.75A 84W<br>Class II      |
| XSG4802000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 2A 96W<br>Class II         |
| XSG4802100 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 2.1A 100.8W<br>Class II    |
| XSG4802250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 2.25A 108W<br>Class II     |
| XSG4802500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 48Vdc 2.5A 120W<br>Class II      |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 29 of 39





A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                   |
|-------------------|--------------|----------------------------------------------------------------------------------|
| XSG5041500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 50.4Vdc 1.5A 75.6W<br>Class II     |
| XSG5042000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 50.4Vdc 2A 100.8W<br>Class II      |
| XSG5042500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 50.4Vdc 2.5A 126W<br>Class II      |
| XSG5101500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 51Vdc 1.5A 76.5W<br>Class II       |
| XSG5102000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 51Vdc 2A 102W<br>Class II          |
| XSG5102250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 51Vdc 2.25A 114.75W<br>Class II    |
| XSG5111500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 51.1Vdc 1.5A 76.65W<br>Class II    |
| XSG5112000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 51.1Vdc 2A 102.2W<br>Class II      |
| XSG5112250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 51.1Vdc 2.25A 114.975W<br>Class II |
| XSG5461250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.6Vdc 1.25A 68.25W<br>Class II   |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 30 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                  |
|-------------------|--------------|---------------------------------------------------------------------------------|
| XSG5461500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.6Vdc 1.5A 81.9W<br>Class II    |
| XSG5461750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.6Vdc 1.75A 95.55W<br>Class II  |
| XSG5462000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.6Vdc 2A 109.2W<br>Class II     |
| XSG5462250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.6Vdc 2.25A 122.85W<br>Class II |
| XSG5481250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.8Vdc 1.25A 68.5W<br>Class II   |
| XSG5481500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.8Vdc 1.5A 82.2W<br>Class II    |
| XSG5482000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.8Vdc 2A 109.6W<br>Class II     |
| XSG5482250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 54.8Vdc 2.25A 123.3W<br>Class II  |
| XSG5501250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 55Vdc 1.25A 68.75W<br>Class II    |
| XSG5501500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 55Vdc 1.5A 82.5W<br>Class II      |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 31 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                |
|-------------------|--------------|-------------------------------------------------------------------------------|
| XSG5502000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 55Vdc 2A 110W<br>Class II       |
| XSG5502200 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 55Vdc 2.2A 121W<br>Class II     |
| XSG5601500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 56Vdc 1.5A 84W<br>Class II      |
| XSG5602000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 56Vdc 2A 112W<br>Class II       |
| XSG5801250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58Vdc 1.25A 72.5W<br>Class II   |
| XSG5801500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58Vdc 1.5A 87W<br>Class II      |
| XSG5801750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58Vdc 1.75A 101.5W<br>Class II  |
| XSG5802000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58Vdc 2A 116W<br>Class II       |
| XSG5841100 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.4Vdc 1.1A 64.24W<br>Class II |
| XSG5841250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.4Vdc 1.25A 73W<br>Class II   |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 32 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG5841500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.4Vdc 1.5A 87.6W<br>Class II   |
| XSG5841750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.4Vdc 1.75A 102.2W<br>Class II |
| XSG5842000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.4Vdc 2A 116.8W<br>Class II    |
| XSG5881100 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.8Vdc 1.1A 64.68W<br>Class II  |
| XSG5881250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.8Vdc 1.25A 73.5W<br>Class II  |
| XSG5881500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.8Vdc 1.5A 88.2W<br>Class II   |
| XSG5881750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.8Vdc 1.75A 102.9W<br>Class II |
| XSG5882000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 58.8Vdc 2A 117.6W<br>Class II    |
| XSG6000500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 60Vdc 0.5A 30W<br>Class II       |
| XSG6001000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 60Vdc 1A 60W<br>Class II         |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 33 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                               |
|-------------------|--------------|------------------------------------------------------------------------------|
| XSG6001250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 60Vdc 1.25A 75W<br>Class II    |
| XSG6001500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 60Vdc 1.5A 90W<br>Class II     |
| XSG6001750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 60Vdc 1.75A 105W<br>Class II   |
| XSG6002000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 60Vdc 2A 120W<br>Class II      |
| XSG6201000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 62Vdc 1A 62W<br>Class II       |
| XSG6201250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 62Vdc 1.25A 77.5W<br>Class II  |
| XSG6201500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 62Vdc 1.5A 93W<br>Class II     |
| XSG6201750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 62Vdc 1.75A 108.5W<br>Class II |
| XSG6202000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 62Vdc 2A 124W<br>Class II      |
| XSG6300500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 63Vdc 0.5A 31.5W<br>Class II   |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 34 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                 |
|-------------------|--------------|--------------------------------------------------------------------------------|
| XSG6301000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 63Vdc 1A 63W<br>Class II         |
| XSG6301250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 63Vdc 1.25A 78.75W<br>Class II   |
| XSG6301500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 63Vdc 1.5A 94.5W<br>Class II     |
| XSG6301750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 63Vdc 1.75A 110.25W<br>Class II  |
| XSG6302000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 63Vdc 2A 126W<br>Class II        |
| XSG6480500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 64.8Vdc 0.5A 32.4W<br>Class II   |
| XSG6481000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 64.8Vdc 1A 64.8W<br>Class II     |
| XSG6481250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 64.8Vdc 1.25A 81W<br>Class II    |
| XSG6481500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 64.8Vdc 1.5A 97.2W<br>Class II   |
| XSG6481750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 64.8Vdc 1.75A 113.4W<br>Class II |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 35 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                   |
|-------------------|--------------|----------------------------------------------------------------------------------|
| XSG6571000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 65.7Vdc 1A 65.7W<br>Class II       |
| XSG6571250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 65.7Vdc 1.25A 82.125W<br>Class II  |
| XSG6571500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 65.7Vdc 1.5A 98.55W<br>Class II    |
| XSG6571750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 65.7Vdc 1.75A 114.975W<br>Class II |
| XSG6720500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 0.5A 33.6W<br>Class II     |
| XSG6720600 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 0.6A 40.32W<br>Class II    |
| XSG6720700 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 0.7A 47.04W<br>Class II    |
| XSG6720800 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 0.8A 53.76W<br>Class II    |
| XSG6721000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 1A 67.2W<br>Class II       |
| XSG6721250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 1.25A 84W<br>Class II      |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 36 of 39





A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                   |
|-------------------|--------------|----------------------------------------------------------------------------------|
| XSG6721500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 1.5A 100.8W<br>Class II    |
| XSG6721750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.2Vdc 1.75A 117.6W<br>Class II   |
| XSG6751000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.5Vdc 1A 67.5W<br>Class II       |
| XSG6751250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.5Vdc 1.25A 84.375W<br>Class II  |
| XSG6751500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.5Vdc 1.5A 101.25W<br>Class II   |
| XSG6751750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 67.5Vdc 1.75A 118.125W<br>Class II |
| XSG6941000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 69.4Vdc 1A 69.4W<br>Class II       |
| XSG6941250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 69.4Vdc 1.25A 86.75W<br>Class II   |
| XSG6941500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 69.4Vdc 1.5A 104.1W<br>Class II    |
| XSG6941750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 69.4Vdc 1.75A 121.45W<br>Class II  |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 37 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                  |
|-------------------|--------------|---------------------------------------------------------------------------------|
| XSG7000500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 70Vdc 0.5A 35W<br>Class II        |
| XSG7001000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 70Vdc 1A 70W<br>Class II          |
| XSG7001250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 70Vdc 1.25A 87.5W<br>Class II     |
| XSG7001500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 70Vdc 1.5A 105W<br>Class II       |
| XSG7001750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 70Vdc 1.75A 122.5W<br>Class II    |
| XSG7140500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 71.4Vdc 0.5A 35.7W<br>Class II    |
| XSG7141000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 71.4Vdc 1A 71.4W<br>Class II      |
| XSG7141250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 71.4Vdc 1.25A 89.25W<br>Class II  |
| XSG7141500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 71.4Vdc 1.5A 107.1W<br>Class II   |
| XSG7141750 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 71.4Vdc 1.75A 124.95W<br>Class II |

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032  
Page 38 of 39



A P P R O V A L S ®

## Certificate of Conformity/Approval

| Additional Models | Trade Name   | Rating/Marking                                                                  |
|-------------------|--------------|---------------------------------------------------------------------------------|
| XSG7201000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 72Vdc 1A 72W<br>Class II          |
| XSG7201250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 72Vdc 1.25A 90W<br>Class II       |
| XSG7201500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 72Vdc 1.5A 108W<br>Class II       |
| XSG7251000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 72.5Vdc 1A 72.5W<br>Class II      |
| XSG7251250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 72.5Vdc 1.25A 90.625W<br>Class II |
| XSG7251500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 72.5Vdc 1.5A 108.75W<br>Class II  |
| XSG7300500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 73Vdc 0.5A 36.5W<br>Class II      |
| XSG7301000 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 73Vdc 1A 73W<br>Class II          |
| XSG7301250 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 73Vdc 1.25A 91.25W<br>Class II    |
| XSG7301500 L2     | Xinsu Global | Input: 100-240V~ 50/60Hz, 3.0A Max<br>Output: 73Vdc 1.5A 109.5W<br>Class II     |

R.A. Nill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 09-06-21 211032

Page 39 of 39