



A P P R O V A L S ®

Certificate of Conformity/Approval

Certificate No.: SAA-211034-EA

Certificate Holder: Xinsu Global Electronic Co., Limited
Unit 2508A, 25/F Bank of America Tower
12 Harcourt Road
Central
Hong Kong

Regulatory Definition: Power Supply or Charger
Product Description: Switching Power Supply/Charger
Trade Name/s: Xinsu Global
Model No.: XSG0428000
Rating/Marking/s: Input: 100-240V~ 50/60Hz, 3.0A Max
Output: 4.2Vdc 8A 33.6W
Class II

Standard/s: AS/NZS 62368.1:2018
Condition/s: For use with audio/video, information or
communication technology equipment only.

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-211034-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 10 June 2021
Expiry Date: 10 June 2026

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034
Page 1 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG0428500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 4.2Vdc 8.5A 35.7W Class II
XSG0429000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 4.2Vdc 9A 37.8W Class II
XSG0429500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 4.2Vdc 9.5A 39.9W Class II
XSG04210000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 4.2Vdc 10A 42W Class II
XSG0508000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 5Vdc 8A 40W Class II
XSG0508500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 5Vdc 8.5A 42.5W Class II
XSG0509000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 5Vdc 9A 45W Class II
XSG0509500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 5Vdc 9.5A 47.5W Class II
XSG05010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 5Vdc 10A 50W Class II
XSG0608000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6Vdc 8A 48W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 2 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG0609000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6Vdc 9A 54W Class II
XSG0609500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6Vdc 9.5A 57W Class II
XSG06010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6Vdc 10A 60W Class II
XSG0658000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6.5Vdc 8A 52W Class II
XSG0659000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6.5Vdc 9A 58.5W Class II
XSG06510000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 6.5Vdc 10A 65W Class II
XSG0728000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.2Vdc 8A 57.6W Class II
XSG0728500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.2Vdc 8.5A 61.2W Class II
XSG0729000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.2Vdc 9A 64.8W Class II
XSG0729500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.2Vdc 9.5A 68.4W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 3 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG07210000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.2Vdc 10A 72W Class II
XSG0738000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.3Vdc 8A 58.4W Class II
XSG0738500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.3Vdc 8.5A 62.05W Class II
XSG0739000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.3Vdc 9A 65.7W Class II
XSG0739500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.3Vdc 9.5A 69.35W Class II
XSG07310000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.3Vdc 10A 73W Class II
XSG0758000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.5Vdc 8A 60W Class II
XSG0758500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.5Vdc 8.5A 63.75W Class II
XSG0759000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.5Vdc 9A 67.5W Class II
XSG0759500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.5Vdc 9.5A 71.25W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 4 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG07510000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 7.5Vdc 10A 75W Class II
XSG0848000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 8.4Vdc 8A 67.2W Class II
XSG0848500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 8.4Vdc 8.5A 71.4W Class II
XSG0849000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 8.4Vdc 9A 75.6W Class II
XSG0849500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 8.4Vdc 9.5A 79.8W Class II
XSG08410000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 8.4Vdc 10A 84W Class II
XSG0908000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 9Vdc 8A 72W Class II
XSG0908500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 9Vdc 8.5A 76.5W Class II
XSG0909000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 9Vdc 9A 81W Class II
XSG0909500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 9Vdc 9.5A 85.5W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 5 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG09010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 9Vdc 10A 90W Class II
XSG1008000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 10Vdc 8A 80W Class II
XSG1009000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 10Vdc 9A 90W Class II
XSG1009500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 10Vdc 9.5A 95W Class II
XSG10010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 10Vdc 10A 100W Class II
XSG10010500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 10Vdc 10.5A 105W Class II
XSG10011000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 10Vdc 11A 110W Class II
XSG1108000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 8A 88W Class II
XSG1108500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 8.5A 93.5W Class II
XSG1109000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 9A 99W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 6 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1109500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 9.5A 104.5W Class II
XSG11010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 10A 110W Class II
XSG11010500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 10.5A 115.5W Class II
XSG11011000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 11Vdc 11A 121W Class II
XSG1205500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 5.5A 66W Class II
XSG1206000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 6A 72W Class II
XSG1207000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 7A 84W Class II
XSG1207500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 7.5A 90W Class II
XSG1208000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 8A 96W Class II
XSG1208500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 8.5A 102W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 7 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1209000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 9A 108W Class II
XSG1209500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 9.5A 114W Class II
XSG12010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 10A 120W Class II
XSG12010500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 10.5A 126W Class II
XSG12011000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12Vdc 11A 132W Class II
XSG1265500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 5.5A 69.3W Class II
XSG1266000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 6A 75.6W Class II
XSG1266500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 6.5A 81.9W Class II
XSG1267000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 7A 88.2W Class II
XSG1267500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 7.5A 94.5W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 8 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1268000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 8A 100.8W Class II
XSG1268500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 8.5A 107.1W Class II
XSG1269000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 9A 113.4W Class II
XSG1269500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 9.5A 119.7W Class II
XSG12610000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 10A 126W Class II
XSG12610500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 10.5A 132.3W Class II
XSG12611000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 12.6Vdc 11A 138.6W Class II
XSG1308000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 13Vdc 8A 104W Class II
XSG1309000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 13Vdc 9A 117W Class II
XSG13010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 13Vdc 10A 130W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 9 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG13010500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 13Vdc 10.5A 136.5W Class II
XSG13011000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 13Vdc 11A 143W Class II
XSG1407500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 7.5A 105W Class II
XSG1408000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 8A 112W Class II
XSG1408500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 8.5A 119W Class II
XSG1409000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 9A 126W Class II
XSG1409500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 9.5A 133W Class II
XSG14010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 10A 140W Class II
XSG14010500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 10.5A 147W Class II
XSG14011000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14Vdc 11A 154W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 10 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1464000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 4A 58.4W Class II
XSG1465000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 5A 73W Class II
XSG1466000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 6A 87.6W Class II
XSG1466500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 6.5A 94.9W Class II
XSG1467000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 7A 102.2W Class II
XSG1467500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 7.5A 109.5W Class II
XSG1468000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 8A 116.8W Class II
XSG1468500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 8.5A 124.1W Class II
XSG1469000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 9A 131.4W Class II
XSG1469500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 9.5A 138.7W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 11 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG14610000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 10A 146W Class II
XSG14610500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 10.5A 153.3W Class II
XSG14611000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 14.6Vdc 11A 160.6W Class II
XSG1505000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 5A 75W Class II
XSG1506000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 6A 90W Class II
XSG1507000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 7A 105W Class II
XSG1507500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 7.5A 112.5W Class II
XSG1508000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 8A 120W Class II
XSG1508500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 8.5A 127.5W Class II
XSG1509000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 9A 135W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 12 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1509500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 9.5A 142.5W Class II
XSG15010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 15Vdc 10A 150W Class II
XSG1607000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16Vdc 7A 112W Class II
XSG1607500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16Vdc 7.5A 120W Class II
XSG1608000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16Vdc 8A 128W Class II
XSG1609000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16Vdc 9A 144W Class II
XSG16010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16Vdc 10A 160W Class II
XSG1684000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 4A 67.2W Class II
XSG1685000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 5A 84W Class II
XSG1686000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 6A 100.8W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 13 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1686500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 6.5A 109.2W Class II
XSG1687000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 7A 117.6W Class II
XSG1687500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 7.5A 126W Class II
XSG1688000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 8A 134.4W Class II
XSG1688500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 8.5A 142.8W Class II
XSG1689000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 9A 151.2W Class II
XSG1689500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 9.5A 159.6W Class II
XSG16810000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 16.8Vdc 10A 168W Class II
XSG1707500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 17Vdc 7.5A 127.5W Class II
XSG1708000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 17Vdc 8A 136W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 14 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1708500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 17Vdc 8.5A 144.5W Class II
XSG1709000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 17Vdc 9A 153W Class II
XSG1709500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 17Vdc 9.5A 161.5W Class II
XSG17010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 17Vdc 10A 170W Class II
XSG1804000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 4A 72W Class II
XSG1805000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 5A 90W Class II
XSG1806000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 6A 108W Class II
XSG1807000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 7A 126W Class II
XSG1807500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 7.5A 135W Class II
XSG1808000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 8A 144W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 15 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG1808500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 8.5A 153W Class II
XSG1809000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 9A 162W Class II
XSG1809500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 9.5A 171W Class II
XSG18010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18Vdc 10A 180W Class II
XSG1837000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 7A 128.1W Class II
XSG1837500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 7.5A 137.25W Class II
XSG1838000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 8A 146.4W Class II
XSG1838500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 8.5A 155.55W Class II
XSG1839000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 9A 164.7W Class II
XSG1839500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 9.5A 173.85W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034
Page 16 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG18310000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 18.3Vdc 10A 183W Class II
XSG1906320	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 6.32A 120.08W Class II
XSG1906500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 6.5A 123.5W Class II
XSG1907000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 7A 133W Class II
XSG1907500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 7.5A 142.5W Class II
XSG1907890	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 7.89A 149.91W Class II
XSG1908000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 8A 152W Class II
XSG1908500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 8.5A 161.5W Class II
XSG1909000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 9A 171W Class II
XSG1909500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 9.5A 180.5W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 17 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG19010000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19Vdc 10A 190W Class II
XSG1956500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 6.5A 126.75W Class II
XSG1957000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 7A 136.5W Class II
XSG1957500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 7.5A 146.25W Class II
XSG1957700	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 7.7A 150.15W Class II
XSG1958000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 8A 156W Class II
XSG1958500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 8.5A 165.75W Class II
XSG1959000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 9A 175.5W Class II
XSG1959500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 19.5Vdc 9.5A 185.25W Class II
XSG2006500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 6.5A 130W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034
Page 18 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2007000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 7A 140W Class II
XSG2007500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 7.5A 150W Class II
XSG2008000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 8A 160W Class II
XSG2008500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 8.5A 170W Class II
XSG2009000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 9A 180W Class II
XSG2009500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 20Vdc 9.5A 190W Class II
XSG2103000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 3A 63W Class II
XSG2106000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 6A 126W Class II
XSG2106500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 6.5A 136.5W Class II
XSG2107000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 7A 147W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 19 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2107500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 7.5A 157.5W Class II
XSG2108000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 8A 168W Class II
XSG2108500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 8.5A 178.5W Class II
XSG2109000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 21Vdc 9A 189W Class II
XSG2205500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 5.5A 121W Class II
XSG2206000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 6A 132W Class II
XSG2206500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 6.5A 143W Class II
XSG2207000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 7A 154W Class II
XSG2207500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 7.5A 165W Class II
XSG2208000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 8A 176W Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 20 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2208500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22Vdc 8.5A 187W Class II
XSG2255500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22.5Vdc 5.5A 123.75W Class II
XSG2256000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22.5Vdc 6A 135W Class II
XSG2257000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22.5Vdc 7A 157.5W Class II
XSG2257500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22.5Vdc 7.5A 168.75W Class II
XSG2258000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22.5Vdc 8A 180W Class II
XSG2258500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 22.5Vdc 8.5A 191.25W Class II
XSG2403000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 3A 72W Class II
XSG2403250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 3.25A 78W Class II
XSG2403500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 3.5A 84W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 21 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2403750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 3.75A 90W Class II
XSG2404000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 4A 96W Class II
XSG2404500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 4.5A 108W Class II
XSG2405000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 5A 120W Class II
XSG2405500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 5.5A 132W Class II
XSG2406000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 6A 144W Class II
XSG2406250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 6.25A 150W Class II
XSG2406500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 6.5A 156W Class II
XSG2407000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 7A 168W Class II
XSG2407500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 7.5A 180W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 22 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2408000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 8A 192W Class II
XSG2408330	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 8.33A 199.92W Class II
XSG2408500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 24Vdc 8.5A 204W Class II
XSG2525000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 5A 126W Class II
XSG2525500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 5.5A 138.6W Class II
XSG2526000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 6A 151.2W Class II
XSG2526500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 6.5A 163.8W Class II
XSG2527000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 7A 176.4W Class II
XSG2527500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 7.5A 189W Class II
XSG2528000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.2Vdc 8A 201.6W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 23 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2555000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 5A 127.5W Class II
XSG2555500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 5.5A 140.25W Class II
XSG2556000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 6A 153W Class II
XSG2556500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 6.5A 165.75W Class II
XSG2557000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 7A 178.5W Class II
XSG2557500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 7.5A 191.25W Class II
XSG2558000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 25.5Vdc 8A 204W Class II
XSG2704500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 4.5A 121.5W Class II
XSG2705000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 5A 135W Class II
XSG2705500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 5.5A 148.5W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 24 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2706000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 6A 162W Class II
XSG2706500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 6.5A 175.5W Class II
XSG2707000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 7A 189W Class II
XSG2707500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 27Vdc 7.5A 202.5W Class II
XSG2804500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 4.5A 126W Class II
XSG2805000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 5A 140W Class II
XSG2805500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 5.5A 154W Class II
XSG2806000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 6A 168W Class II
XSG2806500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 6.5A 182W Class II
XSG2807000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 7A 196W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 25 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2807350	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 28Vdc 7.35A 205.8W Class II
XSG2904500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29Vdc 4.5A 130.5W Class II
XSG2905000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29Vdc 5A 145W Class II
XSG2905500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29Vdc 5.5A 159.5W Class II
XSG2906000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29Vdc 6A 174W Class II
XSG2906500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29Vdc 6.5A 188.5W Class II
XSG2907000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29Vdc 7A 203W Class II
XSG2924500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.2Vdc 4.5A 131.4W Class II
XSG2925000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.2Vdc 5A 146W Class II
XSG2925500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.2Vdc 5.5A 160.6W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 26 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG2926000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.2Vdc 6A 175.2W Class II
XSG2926500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.2Vdc 6.5A 189.8W Class II
XSG2927000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.2Vdc 7A 204.4W Class II
XSG2944500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 4.5A 132.3W Class II
XSG2945000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 5A 147W Class II
XSG2945500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 5.5A 161.7W Class II
XSG2946000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 6A 176.4W Class II
XSG2946500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 6.5A 191.1W Class II
XSG2947000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 7A 205.8W Class II
XSG3004500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 30Vdc 4.5A 135W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 27 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG3005000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 30Vdc 5A 150W Class II
XSG3005500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 30Vdc 5.5A 165W Class II
XSG3006000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 30Vdc 6A 180W Class II
XSG3006500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 30Vdc 6.5A 195W Class II
XSG3204000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 32Vdc 4A 128W Class II
XSG3204500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 32Vdc 4.5A 144W Class II
XSG3205000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 32Vdc 5A 160W Class II
XSG3205500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 32Vdc 5.5A 176W Class II
XSG3206000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 32Vdc 6A 192W Class II
XSG3206400	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 32Vdc 6.4A 204.8W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034
Page 28 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG3364000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 33.6Vdc 4A 134.4W Class II
XSG3364500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 33.6Vdc 4.5A 151.2W Class II
XSG3365000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 33.6Vdc 5A 168W Class II
XSG3365500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 33.6Vdc 5.5A 184.8W Class II
XSG3366000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 33.6Vdc 6A 201.6W Class II
XSG3404000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 34Vdc 4A 136W Class II
XSG3404500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 34Vdc 4.5A 153W Class II
XSG3405000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 34Vdc 5A 170W Class II
XSG3405500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 34Vdc 5.5A 187W Class II
XSG3406000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 34Vdc 6A 204W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 29 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG3503500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 35Vdc 3.5A 122.5W Class II
XSG3504000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 35Vdc 4A 140W Class II
XSG3504500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 35Vdc 4.5A 157.5W Class II
XSG3505000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 35Vdc 5A 175W Class II
XSG3505500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 35Vdc 5.5A 192.5W Class II
XSG3506000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 35Vdc 6A 210W Class II
XSG3603500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36Vdc 3.5A 126W Class II
XSG3604000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36Vdc 4A 144W Class II
XSG3604500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36Vdc 4.5A 162W Class II
XSG3605000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36Vdc 5A 180W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 30 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG3605500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36Vdc 5.5A 198W Class II
XSG3606000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36Vdc 6A 216W Class II
XSG3653500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36.5Vdc 3.5A 127.75W Class II
XSG3654000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36.5Vdc 4A 146W Class II
XSG3654500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36.5Vdc 4.5A 164.25W Class II
XSG3655000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36.5Vdc 5A 182.5W Class II
XSG3655500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36.5Vdc 5.5A 200.75W Class II
XSG3656000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 36.5Vdc 6A 219W Class II
XSG3783500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 37.8Vdc 3.5A 132.3W Class II
XSG3784000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 37.8Vdc 4A 151.2W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 31 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG3784500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 37.8Vdc 4.5A 170.1W Class II
XSG3785000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 37.8Vdc 5A 189W Class II
XSG3803500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 38Vdc 3.5A 133W Class II
XSG3804000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 38Vdc 4A 152W Class II
XSG3804500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 38Vdc 4.5A 171W Class II
XSG3805000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 38Vdc 5A 190W Class II
XSG4023000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 40.2Vdc 3A 120.6W Class II
XSG4023500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 40.2Vdc 3.5A 140.7W Class II
XSG4024000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 40.2Vdc 4A 160.8W Class II
XSG4024500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 40.2Vdc 4.5A 180.9W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 32 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG4025000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 40.2Vdc 5A 201W Class II
XSG4203000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42Vdc 3A 126W Class II
XSG4203500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42Vdc 3.5A 147W Class II
XSG4204000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42Vdc 4A 168W Class II
XSG4204500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42Vdc 4.5A 189W Class II
XSG4205000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42Vdc 5A 210W Class II
XSG4253000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42.5Vdc 3A 127.5W Class II
XSG4253500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42.5Vdc 3.5A 148.75W Class II
XSG4254000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42.5Vdc 4A 170W Class II
XSG4254500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 42.5Vdc 4.5A 191.25W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 33 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG4303000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43Vdc 3A 129W Class II
XSG4304000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43Vdc 4A 172W Class II
XSG4304500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43Vdc 4.5A 193.5W Class II
XSG4323000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.2Vdc 3A 129.6W Class II
XSG4323500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.2Vdc 3.5A 151.2W Class II
XSG4324000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.2Vdc 4A 172.8W Class II
XSG4324500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.2Vdc 4.5A 194.4W Class II
XSG4383000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.8Vdc 3A 131.4W Class II
XSG4383500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.8Vdc 3.5A 153.3W Class II
XSG4384000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.8Vdc 4A 175.2W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 34 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG4384500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 43.8Vdc 4.5A 197.1W Class II
XSG4403000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 44Vdc 3A 132W Class II
XSG4403500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 44Vdc 3.5A 154W Class II
XSG4404000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 44Vdc 4A 176W Class II
XSG4404500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 44Vdc 4.5A 198W Class II
XSG4503000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 45Vdc 3A 135W Class II
XSG4503500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 45Vdc 3.5A 157.5W Class II
XSG4504000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 45Vdc 4A 180W Class II
XSG4504500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 45Vdc 4.5A 202.5W Class II
XSG4602750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46Vdc 2.75A 126.5W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 35 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG4603000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46Vdc 3A 138W Class II
XSG4603500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46Vdc 3.5A 161W Class II
XSG4604000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46Vdc 4A 184W Class II
XSG4604500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46Vdc 4.5A 207W Class II
XSG4621400	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 1.4A 64.68W Class II
XSG4621500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 1.5A 69.3W Class II
XSG4622000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 2A 92.4W Class II
XSG4622500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 2.5A 115.5W Class II
XSG4622750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 2.75A 127.05W Class II
XSG4623000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 3A 138.6W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 36 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG4623500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 3.5A 161.7W Class II
XSG4624000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 46.2Vdc 4A 184.8W Class II
XSG4752750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 47.5Vdc 2.75A 130.625W Class II
XSG4753000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 47.5Vdc 3A 142.5W Class II
XSG4753500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 47.5Vdc 3.5A 166.25W Class II
XSG4754000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 47.5Vdc 4A 190W Class II
XSG4802500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 48Vdc 2.5A 120W Class II
XSG4802750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 48Vdc 2.75A 132W Class II
XSG4803000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 48Vdc 3A 144W Class II
XSG4803500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 48Vdc 3.5A 168W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 37 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG4804000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 48Vdc 4A 192W Class II
XSG4804250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 48Vdc 4.25A 204W Class II
XSG5041500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 1.5A 75.6W Class II
XSG5042000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 2A 100.8W Class II
XSG5042500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 2.5A 126W Class II
XSG5042750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 2.75A 138.6W Class II
XSG5043000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 3A 151.2W Class II
XSG5043500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 3.5A 176.4W Class II
XSG5044000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 50.4Vdc 4A 201.6W Class II
XSG5102500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 2.5A 127.5W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 38 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG5102750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 2.75A 140.25W Class II
XSG5103000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 3A 153W Class II
XSG5103250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 3.25A 165.75W Class II
XSG5103500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 3.5A 178.5W Class II
XSG5103750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 3.75A 191.25W Class II
XSG5104000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51Vdc 4A 204W Class II
XSG5112500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 2.5A 127.75W Class II
XSG5112750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 2.75A 140.525W Class II
XSG5113000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 3A 153.3W Class II
XSG5113250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 3.25A 166.075W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 39 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG5113500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 3.5A 178.85W Class II
XSG5113750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 3.75A 191.625W Class II
XSG5114000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 51.1Vdc 4A 204.4W Class II
XSG5462500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 2.5A 136.5W Class II
XSG5462750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 2.75A 150.15W Class II
XSG5463000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 3A 163.8W Class II
XSG5463250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 3.25A 177.45W Class II
XSG5463500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 3.5A 191.1W Class II
XSG5463700	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 3.7A 202.02W Class II
XSG5463750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.6Vdc 3.75A 204.75W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 40 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG5482500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.8Vdc 2.5A 137W Class II
XSG5483000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.8Vdc 3A 164.4W Class II
XSG5483250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.8Vdc 3.25A 178.1W Class II
XSG5483500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.8Vdc 3.5A 191.8W Class II
XSG5483750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 54.8Vdc 3.75A 205.5W Class II
XSG5502500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 55Vdc 2.5A 137.5W Class II
XSG5502750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 55Vdc 2.75A 151.25W Class II
XSG5503000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 55Vdc 3A 165W Class II
XSG5503250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 55Vdc 3.25A 178.75W Class II
XSG5503500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 55Vdc 3.5A 192.5W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 41 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG5503750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 55Vdc 3.75A 206.25W Class II
XSG5602500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 56Vdc 2.5A 140W Class II
XSG5602750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 56Vdc 2.75A 154W Class II
XSG5603000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 56Vdc 3A 168W Class II
XSG5603250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 56Vdc 3.25A 182W Class II
XSG5603500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 56Vdc 3.5A 196W Class II
XSG5603750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 56Vdc 3.75A 210W Class II
XSG5802250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 2.25A 130.5W Class II
XSG5802500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 2.5A 145W Class II
XSG5802750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 2.75A 159.5W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 42 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG5803000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 3A 174W Class II
XSG5803250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 3.25A 188.5W Class II
XSG5803500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 3.5A 203W Class II
XSG5803600	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58Vdc 3.6A 208.8W Class II
XSG5842250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 2.25A 131.4W Class II
XSG5842500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 2.5A 146W Class II
XSG5842750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 2.75A 160.6W Class II
XSG5843000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 3A 175.2W Class II
XSG5843250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 3.25A 189.8W Class II
XSG5843500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 3.5A 204.4W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 43 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG5843600	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.4Vdc 3.6A 210.24W Class II
XSG5882250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.8Vdc 2.25A 132.3W Class II
XSG5882500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.8Vdc 2.5A 147W Class II
XSG5882750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.8Vdc 2.75A 161.7W Class II
XSG5883000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.8Vdc 3A 176.4W Class II
XSG5883250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.8Vdc 3.25A 191.1W Class II
XSG5883500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 58.8Vdc 3.5A 205.8W Class II
XSG6002250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 60Vdc 2.25A 135W Class II
XSG6002500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 60Vdc 2.5A 150W Class II
XSG6002750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 60Vdc 2.75A 165W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 44 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG6003000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 60Vdc 3A 180W Class II
XSG6003250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 60Vdc 3.25A 195W Class II
XSG6003400	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 60Vdc 3.4A 204W Class II
XSG6202000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 62Vdc 2A 124W Class II
XSG6202250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 62Vdc 2.25A 139.5W Class II
XSG6202500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 62Vdc 2.5A 155W Class II
XSG6202750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 62Vdc 2.75A 170.5W Class II
XSG6203000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 62Vdc 3A 186W Class II
XSG6203250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 62Vdc 3.25A 201.5W Class II
XSG6302000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 63Vdc 2A 126W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 45 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG6302250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 63Vdc 2.25A 141.75W Class II
XSG6302500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 63Vdc 2.5A 157.5W Class II
XSG6302750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 63Vdc 2.75A 173.25W Class II
XSG6303000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 63Vdc 3A 189W Class II
XSG6303200	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 63Vdc 3.2A 201.6W Class II
XSG6482000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 64.8Vdc 2A 129.6W Class II
XSG6482250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 64.8Vdc 2.25A 145.8W Class II
XSG6482500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 64.8Vdc 2.5A 162W Class II
XSG6482750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 64.8Vdc 2.75A 178.2W Class II
XSG6483000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 64.8Vdc 3A 194.4W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034
Page 46 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG6572000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 65.7Vdc 2A 131.4W Class II
XSG6572250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 65.7Vdc 2.25A 147.825W Class II
XSG6572500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 65.7Vdc 2.5A 164.25W Class II
XSG6572750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 65.7Vdc 2.75A 180.675W Class II
XSG6573000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 65.7Vdc 3A 197.1W Class II
XSG6722000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.2Vdc 2A 134.4W Class II
XSG6722250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.2Vdc 2.25A 151.2W Class II
XSG6722500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.2Vdc 2.5A 168W Class II
XSG6722750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.2Vdc 2.75A 184.8W Class II
XSG6723000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.2Vdc 3A 201.6W Class II

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 47 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG6752000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.5Vdc 2A 135W Class II
XSG6752250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.5Vdc 2.25A 151.875W Class II
XSG6752500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.5Vdc 2.5A 168.75W Class II
XSG6752750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.5Vdc 2.75A 185.625W Class II
XSG6753000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 67.5Vdc 3A 202.5W Class II
XSG6941750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 69.4Vdc 1.75A 121.45W Class II
XSG6942000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 69.4Vdc 2A 138.8W Class II
XSG6942250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 69.4Vdc 2.25A 156.15W Class II
XSG6942500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 69.4Vdc 2.5A 173.5W Class II
XSG6942750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 69.4Vdc 2.75A 190.85W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034
Page 48 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG6942900	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 69.4Vdc 2.9A 201.26W Class II
XSG7001750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 70Vdc 1.75A 122.5W Class II
XSG7002000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 70Vdc 2A 140W Class II
XSG7002250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 70Vdc 2.25A 157.5W Class II
XSG7002500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 70Vdc 2.5A 175W Class II
XSG7002750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 70Vdc 2.75A 192.5W Class II
XSG7141750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 71.4Vdc 1.75A 124.95W Class II
XSG7142000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 71.4Vdc 2A 142.8W Class II
XSG7142250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 71.4Vdc 2.25A 160.65W Class II
XSG7142500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 71.4Vdc 2.5A 178.5W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 49 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG7142750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 71.4Vdc 2.75A 196.35W Class II
XSG7201750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72Vdc 1.75A 126W Class II
XSG7202000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72Vdc 2A 144W Class II
XSG7202250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72Vdc 2.25A 162W Class II
XSG7202500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72Vdc 2.5A 180W Class II
XSG7202750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72Vdc 2.75A 198W Class II
XSG7251750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72.5Vdc 1.75A 126.875W Class II
XSG7252000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72.5Vdc 2A 145W Class II
XSG7252250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72.5Vdc 2.25A 163.125W Class II
XSG7252500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72.5Vdc 2.5A 181.25W Class II

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 50 of 51



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
XSG7252750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 72.5Vdc 2.75A 199.375W Class II
XSG7301750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 73Vdc 1.75A 127.75W Class II
XSG7302000	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 73Vdc 2A 146W Class II
XSG7302250	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 73Vdc 2.25A 164.25W Class II
XSG7302500	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 73Vdc 2.5A 182.5W Class II
XSG7302750	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 73Vdc 2.75A 200.75W Class II
XSG2942200	Xinsu Global	Input: 100-240V~ 50/60Hz, 3.0A Max Output: 29.4Vdc 2.2A 64.68W Class II

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 10-06-21 211034

Page 51 of 51