




Feature:

- * Designed in USA, Made in China
- * Global Certificates.
- * Case Material: PC, GE brand
- * Fanless Design.
- * Fully sealed by ultrasonic welding.
- * Capacitor imported from Taiwan.
- * AC inlet: IEC320-C6,C8, C14 and Fixed inlet optional.
- * Protection: Over Load/Over Voltage/Over Current/Over Temp/Short-Circuit.
- * LED indicator show work status
- * Meet Energy Efficiency VI, Comply with CEC VI, DOE VI.
- * Comply With The Newest Safety Standard: UL62368, EN62368, IEC62368, IEC60950, IEC61558, IEC60335.
- * Brand Power Cord and DC Wire matched our products.
- * Customized Label and DC connector.




Electric Parameter:

DC Output	Output Voltage	12V	15V	18V	19V	20V	24V	28V	30V	32V	36V	38V	42V	48V	58V	60V	62V	70V	72V	
	Voltage Tolerance	±5%	±5%	±5%	±4%	±4%	±4%	±4%	±4%	±4%	±4%	±4%	±3%	±3%	±3%	±3%	±3%	±3%	±3%	
	Rated Current	11A	10A	10A	10A	9.5A	8.5A	7.5A	6.5A	6.5A	6A	5A	5A	4.25A	3.5A	3.5A	3.25A	2.75A	2.75A	
	Output Current	0-11A	0-10A	0-10A	0-10A	0-9.5A	0-8.5A	0-7.5A	0-6.5A	0-6.5A	0-6A	0-5A	0-5A	0-4.25A	0-3.5A	0-3.5A	0-3.25A	0-2.75A	0-2.75A	
	Ripple and Noise:	<200mVp-p																		
	LED Indicator	Green light when work																		
AC Input	Input Voltage Range	90~264Vac																		
	Rated Input Voltage:	100-240Vac																		
	Frequency Range:	47~62hz																		
	Input Current Max:	3A																		
	Inrush Current:	35A Max/240V																		
	Efficiency Min	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%
	No load Input Power	≤0.21W																		
	Leakage Current:	<0.25mA/240V																		
Protection	Over Load	When output power between 110%-135% of rated output power, turns to Hiccup mode.																		
	Over Voltage	When output voltage between 110%-135% of rated output voltage, turns to Hiccup mode.																		
	Over Current	Hiccup mode, recovers automatically after fault condition is removed																		
	Short Circuit	Hiccup mode, recovers automatically after fault condition is removed																		
Environment	Operating Temp:	0℃~+45℃																		
	Storage Temp:	-30℃~+70℃																		
	Relative Humidity:	10%~90%																		
	Vibration and Shock	Meet MIL-STD-810D																		
Safety	Safety Standard	IEC62368, IEC60065, IEC60950, IEC61558, IEC60335																		
	EMC/EMI	Meet FCC CLASS B, EN55022 CLASS B.																		
	EMS	EN61000—4—2/3/4/5																		
	Drop Testing	3 drops from 1 m height on a hard wooden surface																		
Life Time	MTBF	50000 Hours																		
	Warranty	3 years																		
Dimension	L176*W80*H47mm																			
Drawing	See next page																			
Packing	15pcs/CTN, CTN size:L45*W23.5*H29.5CM																			
Color	Black or White																			

Drawing(mm):




AC Inlet Type	IEC 320-C6	IEC 320-C14	IEC 320-C8
AC入力コネクタ			
AC輸入類型			<input checked="" type="checkbox"/>



Model List:

Model Name instruction:

E.G.: XSG xxx yyyy zz



Model No	AC Input	Power Rate	Output Voltage(V)	Output Current(mA)
XSG1208000	100~240	96.0	12	8000
XSG1208500	100~240	102.0	12	8500
XSG1209000	100~240	108.0	12	9000
XSG1209500	100~240	114.0	12	9500
XSG1268000	100~240	100.8	12.6	8000
XSG1268500	100~240	107.1	12.6	8500
XSG1269000	100~240	113.4	12.6	9000
XSG1269500	100~240	119.7	12.6	9500
XSG12610000	100~240	126.0	12.6	10000
XSG12611000	100-240	138.6	12.6	11000

XSG1308000	100~240	104.0	13	8000
XSG1308500	100~240	110.5	13	8500
XSG1309000	100~240	117.0	13	9000
XSG1309500	100~240	123.5	13	9500
XSG13010000	100~240	130.0	13	10000
XSG13011000	100-240	143.0	13	11000
XSG1358000	100~240	108.0	13.5	8000
XSG1358500	100~240	114.8	13.5	8500
XSG1359000	100~240	121.5	13.5	9000
XSG1359500	100~240	128.3	13.5	9500
XSG13510000	100~240	135.0	13.5	10000
XSG13511000	100-240	148.5	13.5	11000
XSG1408000	100~240	112.0	14	8000
XSG1408500	100~240	119.0	14	8500
XSG1409000	100~240	126.0	14	9000
XSG1409500	100~240	133.0	14	9500
XSG14010000	100~240	140.0	14	10000
XSG14011000	100-240	154.0	14	11000
XSG1467500	100~240	109.5	14.6	7500
XSG1468000	100~240	116.8	14.6	8000
XSG1468500	100~240	124.1	14.6	8500
XSG1469000	100~240	131.4	14.6	9000

XSG1469500	100~241	138.7	14.6	9500
XSG14610000	100~240	146.0	14.6	10000
XSG14611000	100-240	160.6	14.6	11000
XSG1507000	100~240	105.0	15	7000
XSG1507500	100~240	112.5	15	7500
XSG1508000	100~240	120.0	15	8000
XSG1508500	100~240	127.5	15	8500
XSG1509000	100~240	135.0	15	9000
XSG1509500	100~240	142.5	15	9500
XSG15010000	100~240	150.0	15	10000
XSG1607500	100~240	120.0	16	7500
XSG1608000	100~240	128.0	16	8000
XSG1608500	100~240	136.0	16	8500
XSG1609000	100~240	144.0	16	9000
XSG1609500	100~240	152.0	16	9500
XSG16010000	100~240	160.0	16	10000
XSG1627500	100~240	121.5	16.2	7500
XSG1628000	100~240	129.6	16.2	8000
XSG1628500	100~240	137.7	16.2	8500
XSG1629000	100~240	145.8	16.2	9000
XSG1629500	100~240	153.9	16.2	9500
XSG16210000	100~240	162.0	16.2	10000

XSG1687500	100~240	126.0	16.8	7500
XSG1688000	100~240	134.4	16.8	8000
XSG1688500	100~240	142.8	16.8	8500
XSG1689000	100~240	151.2	16.8	9000
XSG1689500	100~240	159.6	16.8	9500
XSG16810000	100~240	168.0	16.8	10000
XSG1707000	100~240	119.0	17	7000
XSG1707500	100~240	127.5	17	7500
XSG1708000	100~240	136.0	17	8000
XSG1708500	100~240	144.5	17	8500
XSG1709000	100~240	153.0	17	9000
XSG1709500	100~240	161.5	17	9500
XSG17010000	100~240	170.0	17	10000
XSG1806500	100~240	117.0	18	6500
XSG1807000	100~240	126.0	18	7000
XSG1807500	100~240	135.0	18	7500
XSG1808000	100~240	144.0	18	8000
XSG1808500	100~240	153.0	18	8500
XSG1809000	100~240	162.0	18	9000
XSG1809500	100~240	171.0	18	9500
XSG18010000	100-240	180.0	18	10000
XSG1836500	100~240	119.0	18.3	6500

XSG1837000	100~240	128.1	18.3	7000
XSG1837500	100~240	137.3	18.3	7500
XSG1838000	100~240	146.4	18.3	8000
XSG1838500	100~240	155.6	18.3	8500
XSG1839000	100~240	164.7	18.3	9000
XSG1839500	100~240	173.9	18.3	9500
XSG18310000	100-240	183.0	18.3	10000
XSG1907000	100~240	133.0	19	7000
XSG1907500	100~240	142.5	19	7500
XSG1907890	100~240	149.9	19	7890
XSG1908000	100~240	152.0	19	8000
XSG1908500	100~240	161.5	19	8500
XSG1909000	100~240	171.0	19	9000
XSG1909500	100~240	180.5	19	9500
XSG19010000	100-240	190.0	19	10000
XSG1957000	100~240	136.5	19.5	7000
XSG1957500	100~240	146.3	19.5	7500
XSG1957700	100~240	150.2	19.5	7700
XSG1958000	100~240	156.0	19.5	8000
XSG1958500	100~240	165.8	19.5	8500
XSG1959000	100~240	175.5	19.5	9000
XSG1959500	100~240	185.3	19.5	9500

XSG19510000	100~240	195.0	19.5	10000
XSG2006500	100~240	130.0	20	6500
XSG2007000	100~240	140.0	20	7000
XSG2007500	100~240	150.0	20	7500
XSG2008000	100~240	160.0	20	8000
XSG2008500	100~240	170.0	20	8500
XSG2009000	100~240	180.0	20	9000
XSG2009500	100~240	190.0	20	9500
XSG2106000	100~240	126.0	21	6000
XSG2106500	100~240	136.5	21	6500
XSG2107000	100~240	147.0	21	7000
XSG2107500	100~240	157.5	21	7500
XSG2108000	100~240	168.0	21	8000
XSG2108500	100~240	178.5	21	8500
XSG2109000	100~240	189.0	21	9000
XSG2206000	100~240	132.0	22	6000
XSG2206500	100~240	143.0	22	6500
XSG2207000	100~240	154.0	22	7000
XSG2207500	100~240	165.0	22	7500
XSG2208000	100~240	176.0	22	8000
XSG2208500	100~240	187.0	22	8500
XSG2256000	100~240	135.0	22.5	6000

XSG2256500	100~240	146.3	22.5	6500
XSG2257000	100~240	157.5	22.5	7000
XSG2257500	100~240	168.8	22.5	7500
XSG2258000	100~240	180.0	22.5	8000
XSG2258500	100~240	191.3	22.5	8500
XSG2405500	100-240	132.0	24	5500
XSG2406000	100~240	144.0	24	6000
XSG2406250	100~240	150.0	24	6250
XSG2406500	100~240	156.0	24	6500
XSG2407000	100~240	168.0	24	7000
XSG2407500	100~240	180.0	24	7500
XSG2408000	100~240	192.0	24	8000
XSG2408330	100~240	199.9	24	8330
XSG2408500	100~240	204.0	24	8500
XSG2525000	100~240	126.0	25.2	5000
XSG2525500	100-240	138.6	25.2	5500
XSG2526000	100~240	151.2	25.2	6000
XSG2526500	100~240	163.8	25.2	6500
XSG2527000	100~240	176.4	25.2	7000
XSG2527500	100~240	189.0	25.2	7500
XSG2528000	100~240	201.6	25.2	8000
XSG2555000	100~240	127.5	25.5	5000

XSG2555500	100-240	140.3	25.5	5500
XSG2556000	100~240	153.0	25.5	6000
XSG2556500	100~240	165.8	25.5	6500
XSG2557000	100~240	178.5	25.5	7000
XSG2557500	100~240	191.3	25.5	7500
XSG2558000	100~240	204.0	25.5	8000
XSG2705000	100~240	135.0	27	5000
XSG2705500	100-240	148.5	27	5500
XSG2706000	100~240	162.0	27	6000
XSG2706500	100~240	175.5	27	6500
XSG2707000	100~240	189.0	27	7000
XSG2707500	100~240	202.5	27	7500
XSG2804500	100~240	126.0	28	4500
XSG2805000	100~240	140.0	28	5000
XSG2805500	100-240	154.0	28	5500
XSG2806000	100~240	168.0	28	6000
XSG2806500	100~240	182.0	28	6500
XSG2807000	100~240	196.0	28	7000
XSG2807500	100~240	210.0	28	7500
XSG2904500	100~240	130.5	29	4500
XSG2905000	100~240	145.0	29	5000
XSG2905500	100~240	159.5	29	5500

XSG2906000	100~240	174.0	29	6000
XSG2906500	100~240	188.5	29	6500
XSG2907000	100~240	203.0	29	7000
XSG2924500	100~240	131.4	29.2	4500
XSG2925000	100~240	146.0	29.2	5000
XSG2925500	100~240	160.6	29.2	5500
XSG2926000	100~240	175.2	29.2	6000
XSG2926500	100~240	189.8	29.2	6500
XSG2927000	100~240	204.4	29.2	7000
XSG2944500	100~240	132.3	29.4	4500
XSG2945000	100~240	147.0	29.4	5000
XSG2945500	100~240	161.7	29.4	5500
XSG2946000	100~240	176.4	29.4	6000
XSG2946500	100~240	191.1	29.4	6500
XSG2947000	100~240	205.8	29.4	7000
XSG3004500	100~240	135.0	30	4500
XSG3005000	100~240	150.0	30	5000
XSG3005500	100~240	165.0	30	5500
XSG3006000	100~240	180.0	30	6000
XSG3006500	100~240	195.0	30	6500
XSG3204000	100~240	128.0	32	4000
XSG3204500	100~240	144.0	32	4500

XSG3205000	100~240	160.0	32	5000
XSG3205500	100~240	176.0	32	5500
XSG3206000	100~240	192.0	32	6000
XSG3206500	100~240	208.0	32	6500
XSG3304000	100~240	132.0	33	4000
XSG3304500	100~240	148.5	33	4500
XSG3305000	100~240	165.0	33	5000
XSG3305500	100~240	181.5	33	5500
XSG3306000	100~240	198.0	33	6000
XSG3364000	100~240	134.4	33.6	4000
XSG3364500	100~240	151.2	33.6	4500
XSG3365000	100~240	168.0	33.6	5000
XSG3365500	100~240	184.8	33.6	5500
XSG3366000	100~240	201.6	33.6	6000
XSG3404000	100~240	136.0	34	4000
XSG3404500	100~240	153.0	34	4500
XSG3405000	100~240	170.0	34	5000
XSG3405500	100~240	187.0	34	5500
XSG3406000	100~240	204.0	34	6000
XSG3504000	100~240	140.0	35	4000
XSG3504500	100~240	157.5	35	4500
XSG3505000	100~240	175.0	35	5000

XSG3505500	100~240	192.5	35	5500
XSG3506000	100~240	210.0	35	6000
XSG3604000	100~240	144.0	36	4000
XSG3604500	100~240	162.0	36	4500
XSG3605000	100~240	180.0	36	5000
XSG3605500	100~240	198.0	36	5500
XSG3606000	100~240	216.0	36	6000
XSG3653500	100~240	127.8	36.5	3500
XSG3654000	100~240	146.0	36.5	4000
XSG3654500	100~240	164.3	36.5	4500
XSG3655000	100~240	182.5	36.5	5000
XSG3655500	100~240	200.8	36.5	5500
XSG3656000	100~240	219.0	36.5	6000
XSG3783500	100~240	132.3	37.8	3500
XSG3784000	100~240	151.2	37.8	4000
XSG3784500	100~240	170.1	37.8	4500
XSG3785000	100~240	189.0	37.8	5000
XSG3803500	100~240	133.0	38	3500
XSG3804000	100~240	152.0	38	4000
XSG3804500	100~240	171.0	38	4500
XSG3805000	100~240	190.0	38	5000
XSG4023500	100~240	140.7	40.2	3500

XSG4024000	100~240	160.8	40.2	4000
XSG4024500	100~240	180.9	40.2	4500
XSG4025000	100~240	201.0	40.2	5000
XSG4203000	100~240	126.0	42	3000
XSG4203500	100~240	147.0	42	3500
XSG4204000	100~240	168.0	42	4000
XSG4204500	100~240	189.0	42	4500
XSG4205000	100~240	210.0	42	5000
XSG4253000	100~240	127.5	42.5	3000
XSG4253500	100~240	148.8	42.5	3500
XSG4254000	100~240	170.0	42.5	4000
XSG4254500	100~240	191.3	42.5	4500
XSG4303000	100~240	129.0	43	3000
XSG4303500	100~240	150.5	43	3500
XSG4304000	100~240	172.0	43	4000
XSG4304500	100~240	193.5	43	4500
XSG4323000	100~240	129.6	43.2	3000
XSG4323500	100~240	151.2	43.2	3500
XSG4324000	100~240	172.8	43.2	4000
XSG4324500	100~240	194.4	43.2	4500
XSG4383000	100~240	131.4	43.8	3000
XSG4383500	100~240	153.3	43.8	3500

XSG4384000	100~240	175.2	43.8	4000
XSG4384500	100~240	197.1	43.8	4500
XSG4403000	100~240	132.0	44	3000
XSG4403500	100~240	154.0	44	3500
XSG4404000	100~240	176.0	44	4000
XSG4404500	100~240	198.0	44	4500
XSG4503000	100~240	135.0	45	3000
XSG4503500	100~240	157.5	45	3500
XSG4504000	100~240	180.0	45	4000
XSG4504500	100~240	202.5	45	4500
XSG4603000	100~240	138.0	46	3000
XSG4603500	100~240	161.0	46	3500
XSG4604000	100~240	184.0	46	4000
XSG4604500	100~240	207.0	46	4500
XSG4622750	100~240	127.1	46.2	2750
XSG4623000	100~240	138.6	46.2	3000
XSG4623500	100~240	161.7	46.2	3500
XSG4624000	100~240	184.8	46.2	4000
XSG4752750	100~240	130.6	47.5	2750
XSG4753000	100~240	142.5	47.5	3000
XSG4753500	100~240	166.3	47.5	3500
XSG4754000	100~240	190.0	47.5	4000

XSG4802750	100~240	132.0	48	2750
XSG4803000	100~240	144.0	48	3000
XSG4803500	100~240	168.0	48	3500
XSG4804000	100~240	192.0	48	4000
XSG4804250	100~240	204.0	48	4250
XSG5042500	100~240	126.0	50.4	2500
XSG5042750	100~240	138.6	50.4	2750
XSG5043000	100~240	151.2	50.4	3000
XSG5043500	100~240	176.4	50.4	3500
XSG5044000	100~240	201.6	50.4	4000
XSG5102500	100~240	127.5	51	2500
XSG5102750	100~240	140.3	51	2750
XSG5103000	100~240	153.0	51	3000
XSG5103250	100~240	165.8	51	3250
XSG5103500	100~240	178.5	51	3500
XSG5103750	100~240	191.3	51	3750
XSG5104000	100~240	204.0	51	4000
XSG5112500	100~240	127.8	51.1	2500
XSG5112750	100~240	140.5	51.1	2750
XSG5113000	100~240	153.3	51.1	3000
XSG5113250	100~240	166.1	51.1	3250
XSG5113500	100~240	178.9	51.1	3500

XSG5113750	100~240	191.6	51.1	3750
XSG5114000	100~240	204.4	51.1	4000
XSG5462500	100~240	136.5	54.6	2500
XSG5462750	100~240	150.2	54.6	2750
XSG5463000	100~240	163.8	54.6	3000
XSG5463250	100~240	177.5	54.6	3250
XSG5463500	100~240	191.1	54.6	3500
XSG5463700	100~240	202.0	54.6	3700
XSG5463750	100~240	204.8	54.6	3750
XSG5482500	100~240	137.0	54.8	2500
XSG5482750	100~240	150.7	54.8	2750
XSG5483000	100~240	164.4	54.8	3000
XSG5483250	100~240	178.1	54.8	3250
XSG5483500	100~240	191.8	54.8	3500
XSG5483750	100~240	205.5	54.8	3750
XSG5502500	100~240	137.5	55	2500
XSG5502750	100~240	151.3	55	2750
XSG5503000	100~240	165.0	55	3000
XSG5503250	100~240	178.8	55	3250
XSG5503500	100~240	192.5	55	3500
XSG5503750	100~240	206.3	55	3750
XSG5602500	100~240	140.0	56	2500

XSG5602750	100~240	154.0	56	2750
XSG5603000	100~240	168.0	56	3000
XSG5603250	100~240	182.0	56	3250
XSG5603500	100~240	196.0	56	3500
XSG5603750	100~240	210.0	56	3750
XSG5802250	100~240	130.5	58	2250
XSG5802500	100~240	145.0	58	2500
XSG5802750	100~240	159.5	58	2750
XSG5803000	100~240	174.0	58	3000
XSG5803250	100~240	188.5	58	3250
XSG5803500	100~240	203.0	58	3500
XSG5842250	100~240	131.4	58.4	2250
XSG5842500	100~240	146.0	58.4	2500
XSG5842750	100~240	160.6	58.4	2750
XSG5843000	100~240	175.2	58.4	3000
XSG5843250	100~240	189.8	58.4	3250
XSG5843500	100~240	204.4	58.4	3500
XSG5882250	100~240	132.3	58.8	2250
XSG5882500	100~240	147.0	58.8	2500
XSG5882750	100~240	161.7	58.8	2750
XSG5883000	100~240	176.4	58.8	3000
XSG5883250	100~240	191.1	58.8	3250

XSG5883500	100~240	205.8	58.8	3500
XSG6002250	100~240	135.0	60	2250
XSG6002500	100~240	150.0	60	2500
XSG6002750	100~240	165.0	60	2750
XSG6003000	100~240	180.0	60	3000
XSG6003250	100~240	195.0	60	3250
XSG6003500	100~240	210.0	60	3500
XSG6202250	100~240	139.5	62	2250
XSG6202500	100~240	155.0	62	2500
XSG6202750	100~240	170.5	62	2750
XSG6203000	100~240	186.0	62	3000
XSG6203250	100~240	201.5	62	3250
XSG6302000	100~240	126.0	63	2000
XSG6302250	100~240	141.8	63	2250
XSG6302500	100~240	157.5	63	2500
XSG6302750	100~240	173.3	63	2750
XSG6303000	100~240	189.0	63	3000
XSG6303250	100~240	204.8	63	3250
XSG6482000	100~240	129.6	64.8	2000
XSG6482250	100~240	145.8	64.8	2250
XSG6482500	100~240	162.0	64.8	2500
XSG6482750	100~240	178.2	64.8	2750

XSG6483000	100~240	194.4	64.8	3000
XSG6572000	100~240	131.4	65.7	2000
XSG6572250	100~240	147.8	65.7	2250
XSG6572500	100~240	164.3	65.7	2500
XSG6572750	100~240	180.7	65.7	2750
XSG6573000	100~240	197.1	65.7	3000
XSG6722000	100~240	134.4	67.2	2000
XSG6722250	100~240	151.2	67.2	2250
XSG6722500	100~240	168.0	67.2	2500
XSG6722750	100~240	184.8	67.2	2750
XSG6723000	100~240	201.6	67.2	3000
XSG6752000	100~240	135.0	67.5	2000
XSG6752250	100~240	151.9	67.5	2250
XSG6752500	100~240	168.8	67.5	2500
XSG6752750	100~240	185.6	67.5	2750
XSG6753000	100~240	202.5	67.5	3000
XSG6942000	100~240	138.8	69.4	2000
XSG6942250	100~240	156.2	69.4	2250
XSG6942500	100~240	173.5	69.4	2500
XSG6942750	100~240	190.9	69.4	2750
XSG6943000	100~240	208.2	69.4	3000
XSG7002000	100~240	140.0	70	2000

XSG7002250	100~240	157.5	70	2250
XSG7002500	100~240	175.0	70	2500
XSG7002750	100~240	192.5	70	2750
XSG7141750	100~240	125.0	71.4	1750
XSG7142000	100~240	142.8	71.4	2000
XSG7142250	100~240	160.7	71.4	2250
XSG7142500	100~240	178.5	71.4	2500
XSG7142750	100~240	196.4	71.4	2750
XSG7201750	100~240	126.0	72	1750
XSG7202000	100~240	144.0	72	2000
XSG7202250	100~240	162.0	72	2250
XSG7202500	100~240	180.0	72	2500
XSG7202750	100~240	198.0	72	2750
XSG7251750	100~240	126.9	72.5	1750
XSG7252000	100~240	145.0	72.5	2000
XSG7252250	100~240	163.1	72.5	2250
XSG7252500	100~240	181.3	72.5	2500
XSG7252750	100~240	199.4	72.5	2750
XSG7301750	100~240	127.8	73	1750
XSG7302000	100~240	146.0	73	2000
XSG7302250	100~240	164.3	73	2250
XSG7302500	100~240	182.5	73	2500



220W AC-DC Adapter (Desktop Type) **220W Series**

XSG7302750	100~240	200.8	73	2750
------------	---------	-------	----	------